Brain Research, 607 (1993) 357–359
Elsevier Science Publishers B.V.

Author Index

Abbadie, C. and Besson, J.-M.
C-*fos* expression in rat lumbar spinal cord following peripheral stimulation in adjuvant-induced arthritic and normal rats (607) 195
Albrecht, J., Talbot, M., Kimelberg, H.K. and Aschner, M.
The role of sulfhydryl groups and calcium in the mercuric chloride-induced inhibition of glutamate uptake in rat primary astrocyte cultures (607) 249
Aschner, M., see Albrecht, J. (607) 249
Aubert, A., Bernard, C. and Vaudry, H.
Effects of modifications of extracellular and intracellular calcium concentrations on the bioelectrical activity of the isolated frog semicircular canal (607) 301

Balasubramaniam, A., see Chance, W.T. (607) 185
Balduini, W., see Di Luca, M. (607) 329
Ballanyi, K., Branchereau, P., Champagnat, J., Fortin, G. and Velluti, J.
Extracellular potassium, glial and neuronal potentials in the solitary complex of rat brainstem slices (607) 99
Bandler, R., see Davis, P.J. (607) 61
Barraclough, C.A., see Liaw, J.-J. (607) 233
Baulieu, E.-E., see Mayo, W. (607) 324
Beaudet, A., see Moyse, E. (607) 154
Ben-Ari, Y., see Papas, S. (607) 54
Benardo, L.S.
$GABA_A$ receptor-mediated mechanisms contribute to frequency-dependent depression of IPSPs in the hippocampus (607) 81
Bernard, C., see Aubert, A. (607) 301
Besson, J.-M., see Abbadie, C. (607) 195
Bhargava, H.N., Larsen, A.K., Rahmani, N.H. and Villar, V.M.
Naltrexone-induced alterations of the distribution of morphine in brain regions and spinal cord of the rat (607) 1
Bhargava, H.N., see Reddy, P.L. (607) 293
Bickford, P.C., Luntz-Leybman, V. and Freedman, R.
Auditory sensory gating in the rat hippocampus: modulation by brainstem activity (607) 33
Birrell, G.J. and Marcoux, F.W.
Effect of varying levels of glucose on oxygen deprivation-induced delayed neuronal cell death in primary cerebrocortical cultures (607) 337
Branchereau, P., see Ballanyi, K. (607) 99
Breese, G.R., see Simson, P.E. (607) 9

Caner, H., Collins, J.L., Harris, S.M., Kassell, N.F. and Lee, K.S.
Attenuation of AMPA-induced neurotoxicity by a calpain inhibitor (607) 354
Carlen, P.L., see Tymianski, M. (607) 319
Carlton, S.M., see Garrison, C.J. (607) 205
Carr, K.D. and Wolinsky, T.D.
Chronic food restriction and weight loss produce opioid facilitation of perifornical hypothalamic self-stimulation (607) 141
Cattabeni, F., see Di Luca, M. (607) 329
Champagnat, J., see Ballanyi, K. (607) 99
Chance, W.T., Balasubramaniam, A., Stallion, A. and Fischer, J.E.
Anorexia following the systemic injection of amylin (607) 185
Charlton, M.P., see Tymianski, M. (607) 319
Cheng, B., McMahon, D.G. and Mattson, M.P.
Modulation of calcium current, intracellular calcium levels and cell survival by glucose deprivation and growth factors in hippocampal neurons (607) 275
Cherkaoui, J., see Mayo, W. (607) 324
Cimino, M., see Di Luca, M. (607) 329
Collins, J.L., see Caner, H. (607) 354
Crépel, V., see Papas, S. (607) 54
Criswell, H.E., see Simson, P.E. (607) 9

Danger, J.M., see Moyse, E. (607) 154
Davis, P.J., Zhang, S.P. and Bandler, R.
Pulmonary and upper airway afferent influences on the motor pattern of vocalization evoked by excitation of the midbrain periaqueductal gray of the cat (607) 61
Day, T.A., Sibbald, J.R. and Khanna, S.
ATP mediates an excitatory noradrenergic neuron input to supraoptic vasopressin cells (607) 341
Dea, D., see Parent, A. (607) 23
De Graan, P.N.E., see Di Luca, M. (607) 329
De Groat, W.C., see Vizzard, M.A. (607) 349
Dellu, F., see Mayo, W. (607) 324
Di Luca, M., Merazzi, F., De Graan, P.N.E., Cimino, M., Balduini, W., Gispen, W.H. and Cattabeni, F.
Selective alteration in B-50/GAP-43 phosphorylation in brain areas of animals characterized by cognitive impairment (607) 329
Dougherty, P.M., see Garrison, C.J. (607) 205
Duvdevani, R., see Roof, R.L. (607) 333

Eaton, M.J., see Tian, Y. (607) 215
Elisevich, K., see Rajakumar, N. (607) 47
Epelbaum, J., see Moyse, E. (607) 154
Erdman, S.L., see Vizzard, M.A. (607) 349

Farber, S.A., Kischka, U., Marshall, D.L. and Wurtman, R.J.
Potentiation by choline of basal and electrically evoked acetylcholine release, as studied using a novel device which both stimulates and perfuses rat corpus striatum (607) 177
Fernyhough, P., Willars, G.B., Lindsay, R.M. and Tomlinson, D.R.
Insulin and insulin-like growth factor I enhance regeneration in cultured adult rat sensory neurones (607) 117
Fischer, J.E., see Chance, W.T. (607) 185
Flumerfelt, B.A., see Rajakumar, N. (607) 47
Fortin, G., see Ballanyi, K. (607) 99
Freedman, R., see Bickford, P.C. (607) 33
Fujisawa, N., see Saito, N. (607) 241
Fukami, Y., see Yamamoto, T. (607) 261

Garrison, C.J., Dougherty, P.M. and Carlton, S.M.
Quantitative analysis of substance P and calcitonin gene-related peptide immunohistochemical staining in the dorsal horn of neuropathic MK-801-treated rats (607) 205
Girman, S.V.
Retinal afferents innervate functionally tectal but not neocortical grafts placed in lesioned superior colliculus of adult rats (607) 167
Gispen, W.H., see Di Luca, M. (607) 329
Goudreau, J.L., see Tian, Y. (607) 215

Hama, H., see Yamaguchi, K. (607) 149
Hammond, D.L., see McGowan, M.K. (607) 39
Harris, S.M., see Caner, H. (607) 354
Hasegawa, K., Yoshioka, H., Sawada, T. and Nishikawa, H.
Direct measurement of free radicals in the neonatal mouse brain subjected to hypoxia: an electron spin resonance spectroscopic study (607) 161

Itouji, A., see Saito, N. (607) 241

James, C.L., see Trugman, J.M. (607) 270
Jin, W., Lee, N.M., Loh, H.H. and Thayer, S.A.
Opioid-induced inhibition of voltage-gated calcium channels parallels expression of ω-conotoxin-sensitive channel subtype during differentiation of NG108-15 cells (607) 17

Kassell, N.F., see Caner, H. (607) 354
Katz, M.J., see Price, R.L. (607) 125
Khanna, S., see Day, T.A. (607) 341
Kimelberg, H.K., see Albrecht, J. (607) 249
Kischka, U., see Farber, S.A. (607) 177
Koide, H., see Saito, N. (607) 241
Konat, G., see Royland, J.E. (607) 113
Koshimura, K., see Ohue, T. (607) 255
Kruk, M.R., see Van Erp, A.M.M. (607) 108

Larsen, A.K., see Bhargava, H.N. (607) 1
Lasek, R.J., see Price, R.L. (607) 125
Lawson, S.N., see Perry, M.J. (607) 307
Lee, K.S., see Caner, H. (607) 354

Lee, N.M., see Jin, W. (607) 17
Le Moal, M., see Mayo, W. (607) 324
Liaw, J.-J. and Barraclough, C.A.
Pituitary gland responsiveness to LHRH and LHRH neuronal responsiveness to excitatory stimuli are severely impaired in female rats treated neonatally with high doses of androgen (607) 233
Lindsay, R.M., see Fernyhough, P. (607) 117
Loh, H.H., see Jin, W. (607) 17
Lookingland, K.J., see Tian, Y. (607) 215
Luntz-Leybman, V., see Bickford, P.C. (607) 33
Lynn, B., see Shakhanbeh, J. (607) 314

Ma, J.Y. and Narahashi, T.
Differential modulation of $GABA_A$ receptor-channel complex by polyvalent cations in rat dorsal root ganglion neurons (607) 222
Marcoux, F.W., see Birrell, G.J. (607) 337
Marshall, D.L., see Farber, S.A. (607) 177
Masaki, T., see Ohue, T. (607) 255
Mattson, M.P., see Cheng, B. (607) 275
Mayo, W., Dellu, F., Robel, P., Cherkaoui, J., Le Moal, M., Baulieu, E.-E. and Simon, H.
Infusion of neurosteroids into the nucleus basalis magnocellularis affects cognitive processes in the rat (607) 324
McAdoo, D.J., see Sorkin, L.S. (607) 89
McGowan, M.K. and Hammond, D.L.
Intrathecal $GABA_B$ antagonists attenuate the antinociception produced by microinjection of L-glutamate into the ventromedial medulla of the rat (607) 39
McKeon, T.W. and Zigmond, R.E.
Vasoactive intestinal peptide and secretin produce long-term increases in tyrosine hydroxylase activity in the rat superior cervical ganglion (607) 345
McMahon, D.G., see Cheng, B. (607) 275
Merazzi, F., see Di Luca, M. (607) 329
Miwa, S., see Ohue, T. (607) 255
Moore, K.E., see Tian, Y. (607) 215
Moyse, E., Szigethy, E., Danger, J.M., Vaudry, H., Wenk, G.L., Beaudet, A. and Epelbaum, J.
Short- and long-term effects of nucleus basalis magnocellularis lesions on cortical levels of somatostatin and its receptors in the rat (607) 154

Narahashi, T., see Ma, J.Y. (607) 222
Nishikawa, H., see Hasegawa, K. (607) 161

Ogita, K., see Saito, N. (607) 241
Ohue, T., Koshimura, K., Takagi, Y., Watanabe, Y., Miwa, S. and Masaki, T.
Enhancement of acetylcholine release in the hippocampus by 6*R*-L-erythro-5,6,7,8-tetrahydrobiopterin is mediated by 5-hydroxytryptamine (607) 255
Onozuka, M., see Yamamoto, T. (607) 261
Osawa, I., see Saito, N. (607) 241
Ozono, S., see Yamamoto, T. (607) 261

Palij, P. and Stamford, J.A.
Real-time monitoring of endogenous noradrenaline release in rat brain slices using fast cyclic voltammetry. 2. Operational characteristics of the α_2 autoreceptor in the bed nucleus of stria terminalis, pars ventralis (607) 134
Papas, S., Crépel, V. and Ben-Ari, Y.
The NMDA receptor contributes to anoxic aglycemic induced irreversible inhibition of synaptic transmission (607) 54
Parent, A., Dea, D., Quirion, R. and Poirier, J.
[^{3}H]Phorbol ester binding sites and neuronal plasticity in the hippocampus following entorhinal cortex lesions (607) 23
Perry, M.J. and Lawson, S.N.
Neurofilament in feline primary afferent neurones: a quantitative immunocytochemical study (607) 307
Poirier, J., see Parent, A. (607) 23
Price, R.L., Lasek, R.J. and Katz, M.J.
Neurofilaments assume a less random architecture at nodes and in other regions of axonal compression (607) 125

Quirion, R., see Parent, A. (607) 23

Rahmani, N.H., see Bhargava, H.N. (607) 1
Rajakumar, N., Elisevich, K. and Flumerfelt, B.A.
Biotinylated dextran: a versatile anterograde and retrograde neuronal tracer (607) 47
Reddy, A., see Van Reeth, O. (607) 286
Reddy, P.L., Veeranna, , Thorat, S.N. and Bhargava, H.N.
Evidence for the behavioral supersensitivity of dopamine D_2 receptors without receptor up-regulation in morphine-abstinent rats (607) 293
Robel, P., see Mayo, W. (607) 324
Roof, R.L., Duvdevani, R. and Stein, D.G.
Gender influences outcome of brain injury: progesterone plays a protective role (607) 333
Royland, J.E., Konat, G. and Wiggins, R.C.
Abnormal upregulation of myelin genes underlies the critical period of myelination in undernourished developing rat brain (607) 113

Saito, N., Itouji, A., Totani, Y., Osawa, I., Koide, H., Fujisawa, N., Ogita, K. and Tanaka, C.
Cellular and intracellular localization of ϵ-subspecies of protein kinase C in the rat brain; presynaptic localization of the ϵ-subspecies (607) 241
Sakada, S., see Yamamoto, T. (607) 261
Sawada, T., see Hasegawa, K. (607) 161
Semple, D.M., see Van Erp, A.M.M. (607) 108
Shakhanbeh, J. and Lynn, B.
Morphine inhibits antidromic vasodilatation without affecting the excitability of C-polymodal nociceptors in the skin of the rat (607) 314
Sheardown, M.J.
The triggering of spreading depression in the chicken retina: a pharmacological study (607) 189
Sibbald, J.R., see Day, T.A. (607) 341
Simon, H., see Mayo, W. (607) 324
Simson, P.E., Criswell, H.E. and Breese, G.R.
Inhibition of NMDA-evoked electrophysiological activity by ethanol in selected brain regions: evidence for ethanol-sensitive and ethanol-insensitive NMDA-evoked responses (607) 9
Sorkin, L.S. and McAdoo, D.J.
Amino acids and serotonin are released into the lumbar spinal cord of the anesthetized cat following intradermal capsaicin injections (607) 89
Stallion, A., see Chance, W.T. (607) 185
Stamford, J.A., see Palij, P. (607) 134
Stein, D.G., see Roof, R.L. (607) 333
Szigethy, E., see Moyse, E. (607) 154

Takagi, Y., see Ohue, T. (607) 255
Talbot, M., see Albrecht, J. (607) 249
Tanaka, C., see Saito, N. (607) 241
Tator, C.H., see Tymianski, M. (607) 319
Thayer, S.A., see Jin, W. (607) 17
Thorat, S.N., see Reddy, P.L. (607) 293
Tian, Y., Eaton, M.J., Goudreau, J.L., Lookingland, K.J. and Moore, K.E.
Neurochemical evidence that 5-hydroxytryptaminergic neurons tonically inhibit noradrenergic neurons terminating in the hypothalamus (607) 215
Tomlinson, D.R., see Fernyhough, P. (607) 117
Totani, Y., see Saito, N. (607) 241
Trugman, J.M. and James, C.L.
D1 dopamine agonist and antagonist effects on regional cerebral glucose utilization in rats with intact dopaminergic innervation (607) 270
Turek, F.W., see Van Reeth, O. (607) 286
Tymianski, M., Charlton, M.P., Carlen, P.L. and Tator, C.H.
Secondary Ca^{2+} overload indicates early neuronal injury which precedes staining with viability indicators (607) 319

Van Erp, A.M.M., Kruk, M.R., Semple, D.M. and Verbeet, D.W.P.
Initiation of self-grooming in resting rats by local PVH infusion of oxytocin but not α-MSH (607) 108
Van Reeth, O., Zhang, Y., Reddy, A., Zee, P. and Turek, F.W.
Aging alters the entraining effects of an activity-inducing stimulus on the circadian clock (607) 286
Vaudry, H., see Aubert, A. (607) 301
Vaudry, H., see Moyse, E. (607) 154
Veeranna, , see Reddy, P.L. (607) 293
Velluti, J., see Ballanyi, K. (607) 99
Verbeet, D.W.P., see Van Erp, A.M.M. (607) 108
Villar, V.M., see Bhargava, H.N. (607) 1

Vizzard, M.A., Erdman, S.L. and De Groat, W.C.
The effect of rhizotomy on NADPH diaphorase staining in the lumbar spinal cord of the rat (607) 349

Watanabe, Y., see Ohue, T. (607) 255
Wenk, G.L., see Moyse, E. (607) 154
Wiggins, R.C., see Royland, J.E. (607) 113
Willars, G.B., see Fernyhough, P. (607) 117
Wolinsky, T.D., see Carr, K.D. (607) 141
Wurtman, R.J., see Farber, S.A. (607) 177

Yamaguchi, K. and Hama, H.
Evaluation for roles of brain prostaglandins in the catecholamine-induced vasopressin secretion in conscious rats (607) 149

Yamamoto, T., Sakada, S., Ozono, S., Onozuka, M. and Fukami, Y.
A novel stretch receptor in the jaw of the rat (607) 261
Yoshioka, H., see Hasegawa, K. (607) 161

Zee, P., see Van Reeth, O. (607) 286
Zhang, S.P., see Davis, P.J. (607) 61
Zhang, Y., see Van Reeth, O. (607) 286
Zigmond, R.E., see McKeon, T.W. (607) 345

(contents continued)

Short- and long-term effects of nucleus basalis magnocellularis lesions on cortical levels of somatostatin and its receptors in the rat
E. Moyse, E. Szigethy, J.M. Danger, H. Vaudry, G.L. Wenk, A. Beaudet and J. Epelbaum (France, Canada, USA) 154

Direct measurement of free radicals in the neonatal mouse brain subjected to hypoxia: an electron spin resonance spectroscopic study
K. Hasegawa, H. Yoshioka, T. Sawada and H. Nishikawa (Japan) 161

Retinal afferents innervate functionally tectal but not neocortical grafts placed in lesioned superior colliculus of adult rats
S.V. Girman (Russian Federation) 167

Potentiation by choline of basal and electrically evoked acetylcholine release, as studied using a novel device which both stimulates and perfuses rat corpus striatum
S.A. Farber, U. Kischka, D.L. Marshall and R.J. Wurtman (USA) 177

Anorexia following the systemic injection of amylin
W.T. Chance, A. Balasubramaniam, A. Stallion and J.E. Fischer (USA) 185

The triggering of spreading depression in the chicken retina: a pharmacological study
M.J. Sheardown (Denmark) 189

C-*fos* expression in rat lumbar spinal cord following peripheral stimulation in adjuvant-induced arthritic and normal rats
C. Abbadie and J.-M. Besson (France) 195

Quantitative analysis of substance P and calcitonin gene-related peptide immunohistochemical staining in the dorsal horn of neuropathic MK-801-treated rats
C.J. Garrison, P.M. Dougherty and S.M. Carlton (USA) 205

Neurochemical evidence that 5-hydroxytryptaminergic neurons tonically inhibit noradrenergic neurons terminating in the hypothalamus
Y. Tian, M.J. Eaton, J.L. Goudreau, K.J. Lookingland and K.E. Moore (USA) 215

Differential modulation of $GABA_A$ receptor-channel complex by polyvalent cations in rat dorsal root ganglion neurons
J.Y. Ma and T. Narahashi (USA) 222

Pituitary gland responsiveness to LHRH and LHRH neuronal responsiveness to excitatory stimuli are severely impaired in female rats treated neonatally with high doses of androgen
J.-J. Liaw and C.A. Barraclough (USA) 233

Cellular and intracellular localization of ϵ-subspecies of protein kinase C in the rat brain; presynaptic localization of the ϵ-subspecies
N. Saito, A. Itouji, Y. Totani, I. Osawa, H. Koide, N. Fujisawa, K. Ogita and C. Tanaka (Japan) 241

The role of sulfhydryl groups and calcium in the mercuric chloride-induced inhibition of glutamate uptake in rat primary astrocyte cultures
J. Albrecht, M. Talbot, H.K. Kimelberg and M. Aschner (Poland, USA) 249

Enhancement of acetylcholine release in the hippocampus by 6*R*-L-erythro-5,6,7,8-tetrahydrobiopterin is mediated by 5-hydroxytryptamine
T. Ohue, K. Koshimura, Y. Takagi, Y. Watanabe, S. Miwa and T. Masaki (Japan) 255

A novel stretch receptor in the jaw of the rat
T. Yamamoto, S. Sakada, S. Ozono, M. Onozuka and Y. Fukami (Japan) 261

D1 dopamine agonist and antagonist effects on regional cerebral glucose utilization in rats with intact dopaminergic innervation
J.M. Trugman and C.L. James (USA) 270

Modulation of calcium current, intracellular calcium levels and cell survival by glucose deprivation and growth factors in hippocampal neurons
B. Cheng, D.G. McMahon and M.P. Mattson (USA) 275

Aging alters the entraining effects of an activity-inducing stimulus on the circadian clock
O. Van Reeth, Y. Zhang, A. Reddy, P. Zee and F.W. Turek (USA, Belgium) 286

Evidence for the behavioral supersensitivity of dopamine D_2 receptors without receptor up-regulation in morphine-abstinent rats
P.L. Reddy, Veeranna, S.N. Thorat and H.N. Bhargava (USA) 293

Effects of modifications of extracellular and intracellular calcium concentrations on the bioelectrical activity of the isolated frog semicircular canal
A. Aubert, C. Bernard and H. Vaudry (France) 301

Neurofilament in feline primary afferent neurones: a quantitative immunocytochemical study
M.J. Perry and S.N. Lawson (UK) 307

Short Communications

Morphine inhibits antidromic vasodilatation without affecting the excitability of C-polymodal nociceptors in the skin of the rat
J. Shakhanbeh and B. Lynn (UK) 314